

Calapooia River Reach 3 Nealon Site

PROJECT PARTNERS



LOCAL LANDOWNERS LOCATED IN REACH 3 OF THE CALAPOOIA RIVER NEAR BROWNSVILLE, OREGON.

PROJECT DESCRIPTION

PROPOSED RESTORATION, STABILIZATION, AND CONSERVATION PROJECTS ARE PROPOSED FOR REACH 3 OF THE CALAPOOIA RIVER. THE CALAPOOIA WATERSHED COUNCIL IS WORKING WITH LANDOWNERS TO ENHANCE RIVER AND FLOODPLAIN HABITAT IN REACH 3.

BENCHMARK

SURVEY CONTROL USED FOR THE PROJECT IS PROVIDED ON DRAWING 2.0. THE HORIZONTAL DATUM IS NAD 83, STATE PLANE COORDINATES, OREGON ZONE NORTH, AND THE VERTICAL DATUM IS NAVD 88. THE BENCHMARK COORDINATES CORRESPOND TO THE TOP CENTER OF CONTROL MARKERS LISTED ON DRAWING.


GENERAL NOTES

1. DUE TO THE INHERENT VARIABILITY AND DYNAMIC NATURE OF RIVERS, IT IS NECESSARY TO REVIEW CURRENT CONDITIONS PRIOR TO IMPLEMENTATION OF THE DESIGN DRAWINGS TO ENSURE SITE CONDITIONS MATCH CONDITIONS DEPICTED IN DRAWINGS.
2. RIVER DESIGN GROUP MAKES NO REPRESENTATION OF THE EXISTENCE OR NONEXISTENCE OF UTILITIES. CONTRACTOR IS RESPONSIBLE FOR CALLING THE OREGON UTILITY NOTIFICATION CENTER (800-332-2344) AT LEAST TWO BUSINESS DAYS PRIOR TO DIGGING.
3. EXCAVATION, TRENCHING, SHORING, AND SHIELDING SHALL BE THE RESPONSIBILITY OF THE CONTRACTOR PERFORMING THE WORK, THESE DRAWINGS ARE NOT INTENDED TO PROVIDE MEANS OR METHODS OF CONSTRUCTION.
4. PRESERVE AND PROTECT ALL VEGETATION TO THE FULLEST EXTENT POSSIBLE.
5. METHODS FOR WORK AREA ISOLATION, FISH REMOVAL, AND EROSION CONTROL SHALL BE SUBMITTED TO RIVER DESIGN GROUP FOR APPROVAL PRIOR TO COMMENCING WORK.
6. THE LANDOWNER IS RESPONSIBLE FOR PROCURING AND COMPLYING WITH ALL PERMITS AND EASEMENTS INCLUDING ALL FEDERAL, STATE, COUNTY, AND LOCAL PERMITS.
7. THESE DRAWINGS AND THE ASSOCIATED WRITTEN SPECIFICATIONS REPRESENT THE CONSTRUCTION DOCUMENTS. ANY DEVIATIONS FROM THESE DRAWINGS AND ASSOCIATED SPECIFICATIONS WITHOUT WRITTEN APPROVAL FROM RIVER DESIGN GROUP, INC. MAY RESULT IN NOT MEETING CONTRACT DOCUMENTS AND MAY RESULT IN NOT BEING ACCEPTED FOR PAYMENT.

DRAWING INDEX

- | | |
|-----|-----------------------|
| 1.0 | COVER PAGE AND NOTES |
| 1.1 | REACH OVERVIEW |
| 2.0 | PROJECT LAYOUT |
| 2.1 | SITE ACCESS |
| 3.0 | ENGINEERED DEBRIS JAM |
| 3.1 | VEGETATED SOIL LIFT |

CALAPOOIA RIVER REACH 3 VICINITY MAP



COVER PAGE AND NOTES


CALAPOOIA RIVER REACH 3 RESTORATION
CALAPOOIA WATERSHED COUNCIL - NEALON PROPERTY

NO.	DATE	BY	DESCRIPTION	CHK
1	12/17/09	RB	90% DESIGN	TB

PROJECT NUMBER
RDG-08-067

DRAWING NUMBER
1.0

Drawing 1 of 6



1 PROJECT SITES OVERVIEW
1" = 400'




REACH OVERVIEW
CALAPOOVIA RIVER REACH 3 RESTORATION
CALAPOOVIA WATERSHED COUNCIL - NEALON PROPERTY

NO.	DATE	BY	DESCRIPTION	CHK
1	12/17/09	RB	90% DESIGN	TB

PROJECT NUMBER
RDG-08-067

DRAWING NUMBER

1.1



- NOTES:
1. CONTOURS ARE FROM RDG FIELD DATA ACQUIRED FALL 2008.
 2. AERIAL PHOTO IS 2009 NAIP IMAGE.

PROJECT INTENT

THE PROPOSED PROJECT WILL IMPROVE BANK STABILITY, HABITAT, AND RIPARIAN CONDITION. THE PROJECT WILL CONSIST OF FIVE ENGINEERED DEBRIS JAMS AND FOUR 5-TIER VEGETATED SOIL LIFTS. A 35 FT WIDE CREP EASEMENT WILL BE ESTABLISHED AT THE TOP OF THE BANK TO PROVIDE A RIPARIAN BUFFER BETWEEN THE LIVESTOCK PASTURE AND THE RIVER. THE RIPRAP REVETMENT LOCATED AT THE DOWNSTREAM END OF THE PROJECT AREA WILL BE PARTIALLY REMOVED TO INCREASE THE CHANNEL CONVEYANCE CAPACITY AND TO REDUCE THE EDDY HYDRAULIC CURRENTLY AFFECTING THE SITE.

PROJECT COMPONENTS

1. PREPARE THE ACCESS ROUTE AND STAGING/STOCKPILE AREAS
2. BUILD THE 5 EDJS USING TREES, ANGULAR ROCK, AND IMPORTED ALLUVIUM. PER DRAWING 3.0
3. BUILD THE FOUR 5-TIER VSLs USING COBBLE TOE MATERIAL, BIOENGINEERING FABRICS, AND WILLOW CUTTINGS. PER DRAWING 3.1
4. REMOVE CONSTRUCTION DEBRIS, RECLAIM ACCESS ROUTES, AND SEED DISTURBED AREAS
5. COMPLETE THE CREP PLANTING


50 FOOT RIPARIAN SETBACK FROM TOP OF BANK

PROJECT MATERIALS

STREAMBANK GRADING AND SOIL LIFT	900
FILL MATERIAL (CY)	
VEGETATED SOIL LIFT (LINEAL FT)	200
VEGETATED SOIL LIFT - TOE ROCK (CY)	100
5 ENGINEERED DEBRIS JAMS (CY)	25
ROOTWAD (20' X 18", RWD 3'-DIA)	20
LARGE WOOD - TREE TOPS (25' X 18")	30
BALLAST ROCK (0.75 CY TO 1.0 CY EA)	50
REBAR PINS (1"Ø X 3' LENGTH)	70
TOE LOGS (VSL)	25
SALVAGED SITE MATERIAL (CY)	75



BANK FAILURE AT NEALON PROPERTY



SITE BENCHMARKS

POINT #	NORTHING	EASTING	ELEV (FT)	DESCRIPTION
7	275852.76	7550063.58	325.23	
8	276102.99	7550122.54	323.07	

COORDINATE SYSTEM: OREGON STATE PLANE NORTH
HORIZONTAL DATUM: NAD83
VERTICAL DATUM: NAVD88 (GEOID 03)
UNITS: INTERNATIONAL FEET

CHANNEL SECTION

HORIZ 1" = 60'
VERT 1" = 30'

CHK	DESCRIPTION	BY	DATE	NO.
TB	90% DESIGN	RB	12/17/09	1

PROJECT NUMBER
RDG-08-067

DRAWING NUMBER

2.0



1

SITE ACCESS LAYOUT

1" = 100'




SITE ACCESS
CALAPOOVIA RIVER REACH 3 RESTORATION
CALAPOOVIA WATERSHED COUNCIL - NEALON PROPERTY

NO.	DATE	BY	DESCRIPTION	CHK
1	12/17/09	RB	90% DESIGN	TB


PROJECT NUMBER
RDG-08-067

DRAWING NUMBER

2.1



1 PLAN VIEW
1" = 10'



2 STRUCTURE CROSS SECTION
HORIZ 1" = 10' VERT 1" = 10'

DESIGN INTENT

THE INTENT OF THE ENGINEERED DEBRIS JAM IS TO PROVIDE BANK STABILIZATION BY REDUCING NEAR-BANK STRESS AND REDIRECTING FLOW AWAY FROM THE BANK. THE STRUCTURE IS DESIGNED TO ALLOW FISH PASSAGE AT ALL FLOW LEVELS AND DISSIPATE ENERGY IN THE FORM OF A DOWNSTREAM SCOUR POOL. STRUCTURE PERFORMANCE IS DEPENDENT UPON PLACEMENT WITHIN A SEQUENCE OF OTHER BANK STABILIZATION AND GRADE CONTROL STRUCTURES.

THE STRUCTURE IS DESIGNED TO BE NATURAL IN APPEARANCE AND INCORPORATE LARGE WOOD, ROCK, BIOENGINEERING, AND VEGETATION. THE STRUCTURE IS DESIGNED TO HAVE NO ABRUPT AFFECT ON THE WATER SURFACE PROFILE AT ALL FLOW LEVELS. THE STRUCTURE EXTENDS APPROXIMATELY 5-10 FEET INTO THE CHANNEL, LEAVING 30 TO 35 FEET OF THE CHANNEL WIDTH UNOBSTRUCTED FOR BEDLOAD AND DEBRIS TRANSPORT, AND RECREATIONAL PASSAGE. OVER TIME, THE STRUCTURE WILL DECOMPOSE AND/OR BECOME ABANDONED AND REPLACED BY RIPARIAN VEGETATION THAT WILL BE PLANTED IN AND AROUND THE STRUCTURE.

CONSTRUCTION NOTES

EXCAVATE TRENCH AND SET FOOTER LOGS AT SPECIFIED DEPTH. USE FOOTER LOGS WITH MINIMUM DIAMETER AND STEM LENGTH AS SPECIFIED. FOOTER LOGS SHALL NOT HAVE A ROOTFAN. IF POSSIBLE, BACKFILL UP TO TOP OF FOOTER LOGS WITH SPECIFIED ALLUVIAL BACKFILL. DOUSE BACKFILL PERIODICALLY WITH WATER TO IMPROVE COMPACTION AND MINIMIZE VOID SPACES.

SET ROOTWAD LOGS ON FOOTER LOGS. PLACE LOG STEMS SLOPING DOWNWARD INTO BANK FROM EDGE OF WATER. USE ROOTWADS WITH MINIMUM ROOTFAN DIAMETER AND STEM LENGTH AS SPECIFIED. BACKFILL WITH NATIVE MATERIAL UP TO TOP OF ROOTWAD LOGS AND PLACE BALLAST ROCKS ON TOP OF ROOTWAD LOGS AT LOCATIONS WHERE ROOTWAD LOGS INTERSECT FOOTER LOGS. DOUSE BACKFILL PERIODICALLY WITH WATER TO IMPROVE COMPACTION AND MINIMIZE VOID SPACES.

ADD ADDITIONAL TIER OF FOOTER LOGS AND ROOTWAD LOGS AS DESCRIBED ABOVE. COVER BALLAST ROCKS AND TOP OF STRUCTURE WITH VEGETATED SOIL LIFT AS SPECIFIED.

PLACE ADDITIONAL LOGS AND WOODY DEBRIS INTO TRENCH TO ACT AS DEFLECTOR LOGS AND ADDITIONAL BALLASTING. NUMBER AND SIZE OF HABITAT LOGS MAY VARY FROM STRUCTURES SHOWN.

THE CONSTRUCTION MANAGER SHALL INSPECT AND APPROVE ALL FOOTER LOGS AND ROOTWAD LOGS PRIOR TO BACKFILLING. NOTIFY CONSTRUCTION MANAGER OF ANY PROPOSED CHANGES PRIOR TO IMPLEMENTATION. THE CONSTRUCTION MANAGER RESERVES THE RIGHT TO MODIFY STRUCTURE DESIGN SPECIFICATIONS DURING CONSTRUCTION IF WARRANTED DUE TO UNFORESEEN CONDITIONS.

STRUCTURE DIMENSIONS

RD = Minimum Ballast Rock Diameter	2 ft
RW = Minimum Rootfan Diameter	3 ft
FD = Minimum Footer Log Diameter	18 in
LL = Average Structure Length	15 ft
WP = Average Wood Projection	10 ft
RL = Rootwad Stem Length	20 ft
FL = Footer Log Stem Length	20 ft
BK = Bank Key-in Distance	10 ft

MATERIAL SCHEDULE (PER STRUCTURE)

Item	Quantity	Dia. (in)	Length (ft)	Rootwad (Y/N)
Rootwad Log	4	18	20	Yes - 3 ft Dia. Min.
Deflector Log	6	18	25	Optional - 3-4 ft
CY of Ballast Rock	5	30"-36"		
Fill Material*	10	9"		
Rebar Pin	14	1"	3	

* FILL MATERIAL TO BE SALVAGED MATERIAL OR PIT RUN



CONSTRUCTED LARGE WOOD HABITAT STRUCTURE WITH ADDITIONAL WOOD ADDED FOR HABITAT ENHANCEMENT



CONSTRUCTION NOTES

OTHER BRAND MATERIALS MAY BE SUBSTITUTED FOR SPECIFIED BRAND MATERIALS AS LONG AS SPECIFICATIONS ARE SIMILAR.



EXAMPLE OF VEGETATED SOIL LIFTS FOLLOWING CONSTRUCTION (LEFT)
AND DURING THE SECOND GROWING SEASON (RIGHT)

NO.	DATE	BY	DESCRIPTION	CHK
1	12/17/09	RB	90% DESIGN	TB